

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Honne

Wert des Papies,

Washers: 2 7/8" OD, 2 3/4" ID, 1/16" thick.
~~1 1/8" OD, 3/4" ID, 1/16" thick.~~

witness:



Small Pipe

4.875
- 1.25 - 2 Riv
- 1.75

Total leng 5175

2375
~~2375~~
 1600
 2375

2375 - 700 = 1675

13 5/10/18
 Robert

Paul

2600

2375

2375
~~2375~~
 1600

200
 200
 200
 200

2375

2375

200

200

200

200

100

5175 Total/evap

7100
~~7100~~
 020

Kobalt

212


212
163

TOOESD" HEE21600

.375

But didn't
work:

[Signature]



100 slots

.020 DP

.250

Flat

[Symbol]

.200

.339
Drill

.313 DP

1.200

.062

1.300

1.500

.125

.040 Drill

3"

.125
.170

.295

1.500
1.295


1.205

18-27 NP

Drill R = .339

Small Pipe Total Length
5.175

Robert



1 1/8 Drill = 4.375
Small

Bottom
Rig


1/2 Rpe
Drill
2 3/32 = 7/8

09442304.083001

THREAD SIZE ESTIMATE

Witness: *Pauling*

Bevel or roughen edges for gripping (end cap only).



$$\begin{array}{r}
 .250 \\
 - .062 \\
 \hline
 .188 \\
 + .31 \\
 \hline
 .219.375 \\
 + .062 .280 \\
 \hline
 .218 \\
 \hline
 .655
 \end{array}$$

22
FOOERO-FOE24950